



New Ca Technology

BLACK HORSE™

30%
energy



NEW
DESIGN



BLACK HORSE - STANDARD SERIES

12V – STARTER BATTERIES FOR PASSENGER AND COMMERCIAL VEHICLES

Battery type	Capacity Ah	Cold cranking current AEN	BOX	Dimensions, mm			Base hold down	Terminal	Layout	Battery weight
				L	W	H				
12V 36Ah +R	36	300	LB1	207	175	175	B01	1	0	9.90
12V 36Ah +L	36	300	LB1	207	175	175	B01	1	1	9.90
12V 40Ah +R cube	40	390	L0	175	175	190	B01	1	0	10.10
12V 40Ah +R	40	390	L1	207	175	190	B01	1	0	11.00
12V 40Ah +L	40	390	L1	207	175	190	B01	1	1	11.00
12V 40Ah +R	40	390	LB1	207	175	175	B01	1	0	10.80
12V 40Ah +L	40	390	LB1	207	175	175	B01	1	1	10.80
12V 45Ah +R	45	390	L1	207	175	190	B01	1	0	11.00
12V 45Ah +L	45	390	L1	207	175	190	B01	1	1	11.00
12V 45Ah +R	45	390	LB1	207	175	175	B01	1	0	10.80
12V 45Ah +L	45	390	LB1	207	175	175	B01	1	1	10.80
12V 50Ah +R	50	430	L2	242	175	190	B03	1	0	12.50
12V 50Ah +L	50	430	L2	242	175	190	B03	1	1	12.50
12V 50Ah +R	50	430	LB2	242	175	175	B03	1	0	12.20
12V 50Ah +L	50	430	LB2	242	175	175	B03	1	1	12.20
12V 55Ah +R	55	480	L2	242	175	190	B03	1	0	13.30
12V 55Ah +L	55	480	L2	242	175	190	B03	1	1	13.30
12V 55Ah +R	55	500	LB2	242	175	175	B03	1	0	13.00
12V 55Ah +L	55	500	LB2	242	175	175	B03	1	1	13.00
12V 60Ah +R	60	520	L2	242	175	190	B03	1	0	13.70
12V 60Ah +L	60	520	L2	242	175	190	B03	1	1	13.70
12V 60Ah +R	60	540	LB2	207	175	175	B03	1	0	13.40
12V 60Ah +L	60	540	LB2	207	175	175	B03	1	1	13.40
12V 66Ah +R	66	580	L3	278	175	190	B03	1	0	15.50
12V 66Ah +L	66	580	L3	278	175	190	B03	1	1	15.50
12V 72Ah +R	72	600	L3	278	175	190	B03	1	0	15.90
12V 72Ah +L	72	600	L3	278	175	190	B03	1	1	15.90
12V 72Ah +R	72	640	LB3	278	175	175	B03	1	0	15.60
12V 72Ah +L	72	640	LB3	278	175	175	B03	1	1	15.60
12V 75Ah +R	75	680	L3	278	175	190	B03	1	0	16.60
12V 75Ah +L	75	680	L3	278	175	190	B03	1	1	16.60
12V 75Ah +R	75	700	LB3	278	175	175	B03	1	0	16.30
12V 75Ah +L	75	700	LB3	278	175	175	B03	1	1	16.30
12V 75Ah +R	75	680	L4	315	175	190	B13	1	0	17.70
12V 75Ah +L	75	680	L4	315	175	190	B13	1	1	17.70
12V 75Ah +R	75	700	LB4	315	175	175	B13	1	0	17.30
12V 75Ah +L	75	700	LB4	315	175	175	B13	1	1	17.30
12V 80Ah +R	80	720	L4	315	175	190	B13	1	0	18.40
12V 80Ah +L	80	720	L4	315	175	190	B13	1	1	18.40
12V 80Ah +R	80	720	LB4	315	175	175	B13	1	0	17.80
12V 80Ah +L	80	720	LB4	315	175	175	B13	1	1	17.80
12V 90Ah +R	90	740	L5	353	175	190	B03	1	0	20.00
12V 90Ah +L	90	740	L5	353	175	190	B03	1	1	20.00
12V 90Ah +R	90	760	LB5	353	175	175	B03	1	0	19.60
12V 90Ah +L	90	760	LB5	353	175	175	B03	1	1	19.60
12V 97Ah +R	97	780	L5	353	175	190	B03	1	0	20.60
12V 97Ah +L	97	780	L5	353	175	190	B03	1	1	20.60
12V 97Ah +R	97	800	LB5	353	175	175	B03	1	0	20.30
12V 97Ah +L	97	800	LB5	353	175	175	B03	1	1	20.30
12V 100Ah +R	100	820	L5	353	175	190	B03	1	0	21.30
12V 100Ah +L	100	820	L5	353	175	190	B03	1	1	21.30
12V 100Ah +R	100	840	LB5	353	175	175	B03	1	0	21.00
12V 100Ah +L	100	840	LB5	353	175	175	B03	1	1	21.00
12V 110Ah +L	110	850	110	514	175	210	B01	1	3	30.50
12V 110Ah +R	110	850	110	514	175	210	B01	1	4	30.50
12V 110Ah +L	110	850	120	513	189	223	B00	1	3	31.80
12V 110Ah +R	110	850	120	513	189	223	B00	1	4	31.80
12V 135Ah +L	135	950	110	514	175	210	B01	1	3	32.00
12V 135Ah +R	135	950	110	514	175	210	B01	1	4	32.00
12V 120Ah +L	120	900	120	513	189	223	B00	1	3	32.50
12V 120Ah +R	120	900	120	513	189	223	B00	1	4	32.50
12V 143Ah +L	143	980	143	514	218	210	B03	1	3	36.50
12V 143Ah +R	143	980	143	514	218	210	B03	1	4	36.50
12V 170Ah +L	170	1100	180	513	223	223	B00	1	3	39.20
12V 170Ah +R	170	1100	180	513	223	223	B00	1	4	39.20
12V 180Ah +L	180	1150	180	513	223	223	B00	1	3	40.60
12V 180Ah +R	180	1150	180	513	223	223	B00	1	4	40.60
12V 190Ah +L	190	1180	180	513	223	223	B00	1	3	41.00
12V 190Ah +R	190	1180	180	513	223	223	B00	1	4	41.00
12V 200Ah +L	200	1230	210	518	273	240	B00	1	3	48.60
12V 200Ah +R	200	1230	210	518	273	240	B00	1	4	48.60
12V 210Ah +L	210	1300	210	518	273	240	B00	1	3	49.00
12V 210Ah +R	210	1300	210	518	273	240	B00	1	4	49.00
12V 225Ah +L	225	1320	210	518	273	240	B00	1	3	49.60
12V 225Ah +R	225	1320	210	518	273	240	B00	1	4	49.60